



SIRIM QAS INTERNATIONAL SDN. BHD.

(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia
Tel : 603-5544 6000 Emel : cserviceqas@sirim.my www.sirim-qas.com.my

File No : P5-003267
Licence No : PE000501

Date : 20/09/2024

EVERSAFE EXTINGUISHER SDN. BHD.
LOT 878, JALAN SUBANG 9
TAMAN PERINDUSTRIAN SUBANG
47500 SUBANG JAYA
SELANGOR, MALAYSIA

Attn : MUJAHID AZFAR BIN ABDUL RAHMAN

Tel No : 03-80249898

Fax No : 03-80247878

Dear Sir/Madam,

Product Certification Licence

Product : PORTABLE FIRE EXTINGUISHER (CARBON DIOXIDE TYPE)
Standard : MS 1539 : PART 1 : 2002

With regards to your request for new/renewal/changes of licence(s) under the SIRIM Product Certification Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : NURRULHUDDA MAHMUD
Contact No : 6013-3225264
Email : nurrul@sirim.my

Thank you.

This is a computer generated document. No signature is required.

LESEN PENSIJILAN BARANGAN

Product Certification Licence



**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to**

**EVERSAFE EXTINGUISHER SDN. BHD.
LOT 878, JALAN SUBANG 9
TAMAN PERINDUSTRIAN SUBANG
47500 SUBANG JAYA
SELANGOR, MALAYSIA**

**Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on**

PORTABLE FIRE EXTINGUISHER (CARBON DIOXIDE TYPE)

Please refer to detail in the SCHEDULE

**sebagai mematuhi keperluan
as complying with**

MS 1539 : PART 1 : 2002



Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

EVERSAFE EXTINGUISHER SDN. BHD.



Trade Mark : EVERS SAFE, VULCAN, FIREX, RED PANTHER, FIRESAFE
Model : 1) ECO-5
 2) CR-ECO-5
Rating : 21B
Type : STORED PRESSURE
Size : 2.0KG
Test report : 2015FE0379

Trade Mark : EVERS SAFE, VULCAN, FIREX, RED PANTHER, FIRESAFE
Model : 1) ECO-11HH 2) CR-ECO-11HH
Rating : 55B
Type : STORED PRESSURE
Size : 5.0KG
Test report : 2018FE0200

TEST REPORT NO. : 2015FE0379, 2018FE0200

End of page
